



# IBA 17

**Indolebutyric acid (IBA) / Humic acid  
concentrate**

## Guaranteed Analysis:

**Indolebutyric acid (IBA) 0.0022%**  
**Humic Acid 17%**

Harmful if swallowed. Avoid contact with eyes, skin, and clothing. If on skin, wash with large amounts of soap and water. If in eyes, rinse repeatedly with clean water. If irritation persists, obtain medical attention.

*To ensure compatibility with foreign spray mixes, a jar compatibility test is recommended before mixing with other products other than water in the tank.*

## Directions:

Turf: With sufficient water to cover, apply 2.2 oz per 1000 ft<sup>2</sup>. Start applications in initial growth stage and continue every 15 days. Also can be used on new sod or newly seeded turf. Apply just before dormancy and once after dormancy to help improve winter stress.

Ornamentals: Apply 0.5 oz with sufficient water to cover per 1000ft<sup>2</sup> of ornamentals. Use in a regular spray program, every other spray or as needed.

Rooting and Transplants: Slip cuttings into solution of 8 Oz of IBA17 to 5 gallons of water. Transplants can be dipped into solution of 4 oz per 5 gallons of water.

## CONDITIONS OF SALE:

BUYER ASSUMES ALL RESPONSIBILITY FOR USE, STORAGE, HANDLING AND DISPOSAL OF THIS PRODUCT WHEN NOT IN ACCORDANCE WITH LABEL DIRECTIONS. UAS OF AMERICA AND ITS DISTRIBUTOR'S LIMIT OF WARRANTY EXTENDS ONLY TO REPLACEMENT OF DEFECTIVE PRODUCT.

Manufactured by UAS of America, Inc.

8721 Casper Ave  
Hudson, FL 34667

Ph: 727-861-7710

## Disclaimer

It is recommended not to use this product with fungicides or pesticides. However, if applied with a fungicide or pesticide, it is the users responsibility to conduct a trial application on the crop(s) to be sprayed with this mix of chemicals to determine compatibility of products and compatibility with crop(s) sprayed. When mixing with other spray materials a jar compatibility test is recommended.

May cause temporary eye injury. Do not get in eyes or on clothing. \*If in eyes: hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.\*  
If swallowed: drink promptly a large quantity of milk, egg white and gelatin solution, or if these are not available, large quantities of water. Avoid alcohol.

Always read label instructions.

Dispose of Waste Material according to local, state, and Federal environmental laws and regulations.

CONTENTS: 1 gal (S) NET: 8.8 lbs