

IBA 17

Indolebutyric acid (IBA) / Humic acid concentrate

IBA 17 is a proprietary blend of Humic acids containing the Auxin *Indolebutyric acid (IBA)* used to obtain optimum soil conditions in areas where poor root growth is a problem.

The overall effect is obtaining an overall lusher healthier stand of turf, which can help the turf withstand more stressful environmental conditions, which can affect its performance and appearance. Also can be used in areas where heavy traffic has placed a stress on the condition of the turf..

For Agriculture IBA will promote better healthier root growth and seed germination.

The Humic acid acts as the carbon source to feed microbes.

IBA – is a naturally occurring plant growth promoter for lateral root promotion and bud initiation.

STORAGE

Keep container sealed tightly when not in use. Do not expose to sunlight for long periods of time. Store in temperatures between 5 C (41 F) and 25 C (77 F).

Dispose of Waste Material according to local, state, and Federal environmental laws and regulations.

PRE-CAUTIONS

May cause temporary eye injury. Do not get in eyes or on clothing. "If in eyes: hold eyelids open and flush with a steady, gentle stream of water for 15 minutes Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse."

If swallowed: drink promptly a large quantity of milk, egg white and gelatin solution, or if these are not available, large quantities of water. Avoid alcohol."

"COMMERCIAL USE ONLY"

**Manufactured by UAS of America, Inc.
534 CR 529A Lake Panasoffkee, FL 33538
Tel 352-793-1682 Fax 352-793-4864**

GUARANTEED ANALYSIS

Indolebutyric acid (IBA) 0.002%
Humic Acid 17%

DISCLAIMER

It is recommended not to use this product with fungicides or pesticides. However, if applied with a fungicide or pesticide, it is the users responsibility to conduct a trail application on the crop(s) to be sprayed with this mix of chemicals to determine compatibility of products and compatibility with crop(s) sprayed. When mixing with other spray materials a jar compatibility test. Harmful if swallowed. Avoid contact with eyes, skin, and clothing. If on skin, wash with large amounts of soap and water. If in eyes, rinse repeatedly with clean water. If irritation persists, obtain medical attention.

Compatibility

Test-To ensure compatibility with foreign spray mixes, a jar & Crop to be Sprayed, compatibility test is recommended before mixing with other products other than water in the tank.

APPLICATION

Turf: With sufficient water to cover, apply 2.2 oz per 1000 ft2. Start applications in initial growth stage and continue every 15 days. Also can be used on new sod or newly seeded turf. Apply just before dormancy and once after dormancy to help improve winter stress.

Agriculture: Add 3 quart per acre when roots growth is needed. Soil application will show better results when place neat root zone with sufficient water to dissipate around root zone

Ornamentals: Apply 0.5 oz with sufficient water to cover per 1000ft2 of ornamentals. Use in a regular spray program, every other spray or as needed.

Rooting and Transplants: Dip cuttings into solution of 8 Oz of IBA17 to 5 gallons of water. Transplants can be dipped into solution of 4 oz per 5 gallons of water.

Warranty

BUYER ASSUMES ALL RESPONSIBILITY FOR USE, STORAGE, HANDLING AND DISPOSAL OF THIS PRODUCT WHEN NOT IN ACCORDANCE WITH LABEL DIRECTIONS. UAS of AMERICA AND ITS DISTRIBUTOR'S LIMIT OF WARRANTY EXTENDS ONLY TO REPLACEMENT OF DEFECTIVE PRODUCT.