



# MICRO-BOOST CB

## CHELATED LIQUID CALCIUM/ BORON MIX

FL 1142

"COMMERCIAL USE ONLY"

### Analysis:

Calcium(Ca) ..... 8.00%  
Boron (B) ..... 0.50%

**Derived from: Calcium gluconate, sodium borate**

Harmful if swallowed. Avoid contact with eyes, skin, and clothing. If on skin, wash with large amounts of soap and water. If in eyes, rinse repeatedly with clean water. If irritation persists, obtain medical attention.

Row Crops : FRUIT BEARING: Mix 1-2 quarts CB with sufficient water to cover, per acre. Mist tops and bottoms of leaves. Moisten only to the point of run-off. 1st application when fruit is forming. Repeat every 2 weeks until harvest.  
LEAFY: Mix 1-2 quarts CB with sufficient water to cover, per acre. Mist tops and bottoms of leaves. Moisten only to the point of run-off. 1st application when at maturing stage. Repeat every 7-10 days or as needed, until harvest  
(USE MINIMUM OF 15 GALLONS OF WATER.) Apply when Calcium deficiency is determined by visual or leaf analysis.  
Tree Crops : Mix up to 3-4 qts CB with sufficient water to cover, per acre. Mist tops and bottoms of leaves. Moisten only to the point of run-off.  
(USE MINIMUM OF 100 GALLONS OF WATER.) Apply when Calcium deficiency is determined by visual or leaf analysis.  
TURF: Apply 6 oz per 1000 Ft<sup>2</sup>. Apply monthly or as needed.

**\*\*\*Highly concentrated DO NOT over apply. \*\*\* To ensure compatibility with foreign spray mixes, a jar compatibility test is recommended before mixing with other products other than water in the tank. Always fill tank with water first, then begin applying CROPMASTER products while tank is circulating. "NEVER MIX CONCENTRATES DIRECTLY TOGETHER "**  
**CONDITIONS OF SALE: BUYER ASSUMES ALL RESPONSIBILITY FOR USE, STORAGE, HANDLING AND DISPOSAL OF THIS PRODUCT WHEN NOT IN ACCORDANCE WITH LABEL DIRECTIONS. U.A.S. INC. AND ITS DISTRIBUTOR'S LIMIT OF WARRANTY EXTENDS ONLY TO REPLACEMENT OF DEFECTIVE PRODUCT.**

### Disclaimer

It is recommended not to use this product with fungicides or pesticides. However, if applied with a fungicide or pesticide, it is the users responsibility to conduct a trail application on the crop(s) to be sprayed with this mix of chemicals to determine compatibility of products and compatibility with crop(s) sprayed. When mixing with other spray materials a jar compatibility test is recommended.  
Always read label instructions.

**MANUFACTURED BY**  
**UAS of America, Inc.**  
**8721 Casper Ave.**  
**Hudson Fl. 34667**  
**Tel 727-861-7710**

Net Contents	
2.5 US Gallon / 23.4 lbs.	<input type="checkbox"/>
5 US Gallon / 46.7 lbs.	<input type="checkbox"/>
30 US Gallon / 280.2 lbs.	<input type="checkbox"/>
55 US Gallon / 513.7 lbs.	<input type="checkbox"/>
275 US Gallon / 2568.5 lbs.	<input type="checkbox"/>

Why Do I need MICRO-BOOST CB  
MICRO-BOOST CB is a chelated Calcium/ Boron Source, designed for soil and/or foliar application, to prevent and correct pre-existing Calcium/Boron deficiencies as indicated by plant leaf, visual and/or soil testing. Since the ingredients in MICRO-BOOST CB are 100% water soluble and immediately available to the plant (When used as directed), this product is extremely efficient as a foliar spray in situations where a rapid response is desired. Results are often evident one to two days after application. Research has shown the plant can assimilate Micro nutrients better via foliar application than if the Micro nutrients were applied to the soil.  
CHELATING AGENT: We Chelated our MICRO-BOOST CB with Calcium Gluconate.

Storage: Keep container sealed tightly when not in use. Do not expose to sunlight for long periods of time. Store in temperatures between 5 C (41 F) and 25 C (77 F).